

Making networked production easy with Digital Twins

Frank Schnicke – Fraunhofer IESE

GEFÖRDERT VOM



Bundesministerium  
für Bildung  
und Forschung

# Challenges of Industrie 4.0

## ***Heterogeneous Devices***

- Different Manufacturers
- Different Interfaces

## ***Integration of Legacy Devices***

- Old devices are not capable of Industrie 4.0

## ***Unified Interfaces***

- Unified access to data

***Software has to address these challenges!***

# About BaSys 4.0

## Public funded, national reference project

- 15 Partners from academia and industry
- Fraunhofer IESE is coordinator
- Development of open source Industrie 4.0 middleware
- Implements main Industrie 4.0 concepts in shopfloor
- Runtime: 07/2016 – 06/2019

## Open Source


- Eclipse Open-Source Project
- [www.eclipse.org/basyx](http://www.eclipse.org/basyx)



# BaSys 4.0 Building Blocks


## Asset Administration Shell (Digital Twin)

- Digital representation of devices
- Independent of manufacturer
- Standardized




## Sub Models

- Provide information in a structured way
- Topology
- Device Services



## Service-Based Production

- Changeable production



## Virtual Automation Bus


- End-to-end communication
- Communication spanning different networks and protocols

NRTNL (Non Realtime Network Layer)  
RTNL (Realtime Network Layer)

# BaSys 4.0 Building Blocks


## Asset Administration Shell (Digital Twin)

- Digital representation of devices
- Independent of manufacturer
- Standardized




## Sub Models

- Provide information in a structured way
- Topology
- Device Services



## Service-Based Production

- Changeable production



## Virtual Automation Bus


- End-to-end communication
- Communication spanning different networks and protocols

NRTNL (Non Realtime Network Layer)  
RTNL (Realtime Network Layer)

# BaSys 4.0 – Asset Administration Shell

## *Digital representation of assets*


- ***Independent of Manufacturer***
  - Standardized Interface
  
- ***For all relevant entities***
  - Product, Devices, Worker
  - Central Industry 4.0 component



# BaSys 4.0 Building Blocks


## Asset Administration Shell (Digital Twin)

- Digital representation of devices
- Independent of manufacturer
- Standardized




## Sub Models

- Provide information in a structured way
- Topology
- Device Services



## Service-Based Production

- Changeable Production



## Virtual Automation Bus

- End-to-end communication
- Communication spanning different networks and protocols


NRTNL (Non Realtime Network Layer)  
RTNL (Realtime Network Layer)

# BaSys 4.0 – Changeable Production

## **Today**

- PLC control production steps
- Defined and standardized blocks (EN/IEC 61131)
- Realize real time control

## **But: No easy changeability**







# BaSys 4.0 – Changeable Production

## **BaSys 4.0**

- Uses PLC for real time behaviour
- PLC realize callable services




# BaSys 4.0 – Changeable Production



# BaSys 4.0 – Service-Based Production





- Required services (=Recipe)
- Service Parameters
- Provided Services



# BaSys 4.0 Building Blocks – Usage

## BaSys 4.0 Building Blocks can be used individually

- Example: Digitisation of Production



# BaSys 4.0 - Availability

## ***SDK (Java/C++)***

- Asset Administration Shell
- Virtual Automation Bus

## ***Components***

- Reference components
- Registry / discovery of components


## ***Download:***

- <http://www.eclipse.org/basyx>



# Demonstrator

- Context
  - Legacy production of brake discs
  - Extraction of production data
- Solution
  - Connection of legacy PLCs to BaSys middleware
  - Use of NetApp BaSys Connector



Brake Disk Demonstration Plant (Fischertechnik)


# Demonstrator - Product

- Product: Brake Discs
  - Ceramic Brake
  - Carbon Ceramic Brake
  - Wolfram Ceramic Brake




Source: [https://commons.wikimedia.org/wiki/File:PCCB\\_Brake\\_Carrera\\_GT.jpg](https://commons.wikimedia.org/wiki/File:PCCB_Brake_Carrera_GT.jpg)

# Demonstrator - Platform







# Demonstrator - Platform




# AAS Structure - Device





# AAS Structure - Warehouse




# AAS Structure - Product




# Oven Burn Curve




# AAS Structure - Oven



# Topology




# Orchestration






# Scenario View



BaSys 4.0



# Scenario View



# Image Sources

- <https://icons8.de/icon/set/robot/metro>

